INDEX TO VOLUME IX

AUTHORS INDEX

ADAIR, F. L. The influence of diet on lactation, 1

The Joint Committee on Maternal Welfare, its organization and purposes, 571

ADAMS, T. W. The short umbilical cord as a factor in dystocia, 690

ALTON, B. H., and LINCOLN, G. C. The control of eclampsia convulsions by intraspinal injections of magnesium sulphate, 167

Anderson, E.B. X-ray in the prenatal diagnosis of fetal monstrosity,

AVERETT, L. Kielland forceps, 410

BABCOCK, W. W. The field of partial gastroenterostomy in the treatment of ulceration of the stomach and duodenum, 473, 555

BAKER. An analytical study of fifty cases of ureteral stricture and pyelitis (Abst.), 743

BALLANCE and BALLANCE. Intracranial hemorrhage in the newborn (Abst.), 142

BALLANTYNE, J. W. natal and Antenatal, intraand neonatal death

(Abst.), 146

BARRETT, C. W., LASH, A. F., and PILOT,
I. A study of streptococci from chronic infection of the cervix

uteri and fallopian tubes, 797
Belding, D. L. The Wassermann test.
The detection of syphilis in pre-

The detection of Syrmatal clinics, 203

BEUTTNER. The technic of peritonization in the female pelvis (Abst.), 435

BILL, A. H. A new axis traction handle for solid blade forceps, 606, 714 The modified Scanzoni maneuver in the treatment of vertex-occipito-

posterior positions, 342, 392 BISSELL, D. Hyperemesis gravidarum treated with blood transfusion, 118

BLUM, EISLER and HRYNTSCHAK. toradioscopy (Abst.), 739
Bonney. Diurnal incontinence in wom-

en (Abst.), 741

BOORSTEIN. Obstetric brachial paralysis (Abst.), 149

Bower, J. O., and Clark, J. H. Myeloid leucemia complicated by pregnancy, treated with topical applications of radium, 562

Two cases of myeloid leu--ANDcemia complicated with preg-nancy, treated with topical ap-plications of radium, 207

BRODHEAD, G. L. Spontaneous closure of large vesico-uterine fistula (Abst.), 743

Brown, G. VAN AMBER. Appendicitis in children, with report of cases, 463, 549

Browne, F. J. Neonatal death (Abst.), 147

BULLARD, E. A. Abdominal pregnancy, 120

BUNIM, L. A. A method for the aspiration of mucus in asphyxia neonatorum, 101

BURCKHARD. The simultaneous occurrence of carcinoma of the uterus and ovaries (Abst.), 587

C

Intracranial birth injuries CAMERON.

(Abst.), 141

—, HECTOR AND OSMAN. The late results of meningeal hemorrhage

of the newborn (Abst.), 146 Intracranial traumata in the CAPON.

newborn (Abst.), 141. I. The operative risk in surgical treatment of uterine fi-CHIFOLIAU.

broids (Abst.), 440
J. H. (with Bower, J. O.).
Myeloid leucemia complicated CLARK, by pregnancy, treated with applications of radium, 562

—, (WITH BOWER, J. O.). Two cases

of myeloid leucemia complicated with pregnancy, treated with topical applications of radium, 207

CLELAND, F. A. Report of case of a large mucocele of the cervix following a supravaginal hysterectomy fourteen years previously, 349, 395

COE, H. C. Importance of care of mouth before operation, 266

CONAWAY, W. P. Chronic appendicitis and pyosalpinx complicated by

vesical calculus, 396 Cosgrove, S. A., and Waters, E. G. Eclampsia in a patient with a duplex uterus and a single kid-

ney, 360 COVENTRY, W. A. Indications and endresults of the Sturmdorf opera-

tion, 804 CRILE, GEO. W. Suggested biophysical interpretation of cancer, 642, 711

CROTHERS. Injury of the spinal cord in breech extraction as an important cause of fetal death and of paraplegia in childhood (Abst.), 148 CRUICKSHANK. The hemorrhages of the

newborn (Abst.), 145 Culbertson. Use of the sigmoid flexure and cecum in pelvic peritonization (Abst.), 436

CURTIS, A. H. Management of the fe-male bladder after operation and during pregnancy (Abst.), 740

D'ALLAINES (WITH LECENE). The endresults of partial hysterectomy

DANNREUTHER, W. T. Combined radium therapy and operation in the treatment of cancer of the uterus, 608, 710

DARNALL, W. E. Pseudocartilaginous

cyst of the ovary, 683, 710

DARNER, H. L. (WITH NOVAK, E.). The correlation of uterine and tubal

changes in tubal gestation, 295
DARTIGUES, M. Total abdominal hysterectomy with direct peritoneal drainage (Abst.), 438 DAVIS, J. E. Congenital polycystic kid-

neys, 758 Dickinson, R. L. Animal studies of fertility and sterility bearing on human problems, 715 Dicks, J. F. Severe vaginal postopera-

tive bleeding, 566

I, A. Adenoma formation in abdominal scars (Abst.), 438 DIETRICH, A.

DUROUX, E. Preliminary vaginal amputation of the uterine cervix in total abdominal hysterectomy (Abst.), 437

ND MAYBURY. On the attempted production of an "ascending" DYKE AND MAYBURY. infection in rabbits renal (Abst.), 743

EHRENFEST, H. The causation of intra-cranial hemorrhages in the newborn (Abst.), 142

EHRENFEST, H. The prevention of birth injuries of the child (Abst.), 149

EISLER (WITH BLUM AND HRYNTSCHAK). Cystoradioscopy (Abst.), 739

FALLS, F. H. Blood transfusion by the citrate method in hemorrhages of the newborn (Abst.), 148

FEINER, D. Case of atresia of the cer-

vix, 544
A. The responsibility of the medical profession in further reducing maternal mortality, FLINT, A.

FORSDIKE, S. The early diagnosis of cancer of the cervix (Abst.), 589

FOTHERGILL, W. E. A lecture to graduates on three years of pelvic surgery (Abst.), 436

The abdominal incision in pelvic

surgery (Abst.), 434
FOWLER, W. A. Chronic infections in pregnancy, 837

FRANK, R. T. New books (collective re-

view), 130, 876
FRANKENSTEIN, K. The prophylactic pouring of ether into the abdominal cavity during laparotomies to induce postoperative peristalsis (Abst.), 438

FRANKL, O. The coincidence and interference of uterine tumors, 745,

FREY, E. A case of hydatidiform mole in a woman just before the menopause (Abst.), 590

FURNISS, H. D. Suprapubic sphincter tightening, 503, 560

Spasmodic cervical contraction FUTH. and injury to the child's head during labor (Abst.), 150

Bladder fistula as a result of GAYET. tuberculous salpingitis (Abst.),

GERICH, O. The early diagnosis of uter-

ine carcinoma (Abst.), 588 GIBSON, G. End-results with the Emmet-Baldwin operation for procidentia, 637, 720

Some gynecological operations in GILES. relation to the life assurance,

(Abst.), 439
GLADSTONE, E. A new uterine cannula for use in the Rubin test, 695

GOSSET AND MONOD. Indications for surgery in the treatment of uterine cancer, (Abst.), 586

GOUVERNEUR. Suture of the ureter, (Abst.), 744 GRAFFAGNINO, P. Spinal anesthesia, 567 GRAVES, W. P. Contraindications to the use of radium in gynecology, 445, 562

GREENHILL, J. P. The obstetrical literature of 1924, (collective review), 417, 575
GWATHMEY, J. T. Modified rectal analgesia in obstetrics, 401

н

HALBAN. Abdominal and vaginal operation for carcinoma, (Abst.),

HAMBLEN, R. N. Report of a case of tabes dorsalis complicating pregnancy, 102

HANNAH, C. R. Weight during pregnancy, 854

HARPER, P. T. Observations on trauma to the undilated but dilatable cervix, 103

HARRAR, J. A. Institutional antepartum methods applied to private practice, 243, 264

HARTMANN, H. The amputation of the cervix uteri, (Abst.), 437

HAWORTH, J. K. Rentention of urine due to haematocolpos and haematometra in a child, (Abst.), 741

HECTOR, (with Cameron and Osman). The late results of meningeal hemorrhage of the newborn, (Abst.), 146

HEIDLER, H. Congenital defects of the scalp, (Abst.), 150

HEINECK, A. P. Massive excision of subcutaneous abdominal fat, (collective review), 277

HELVESTINE, F., JR. Torsion of the pedicle of ovarian cysts, 259

HERTZLER, A. E. Relation of dysmenor-rhea to interstitial thyrotoxicosis as proved by therapeutic measures, 783

HINSELMANN. Proliferative processes in the center of hydatid mole villi, (Abst.), 590

HOLLAND. Cranial stress in the fetus during labor and on the effects of excessive stress on the intra-

eranial contents, (Abst.), 140 HOLLAND, E. Intranatal death, (Abst.), 147

HÖRMANN. Construction of vagina from intestine in complete absence of

former, (Abst.), 288
HORTOLOMEI. Four cases of congenital absence of the vagina, (Abst.),

HRYNTSCHAK, (with Blum and Eisler)...

Cystoradioscopy, (Abst.), 739 Huggins, R. R. Relation of postoperative peritonitis to periodic epidemics of infection, 819, 868

HUNNER, G. L. Ureteral stricture in obstetrics; with special reference to multiple abortions (renal) and to pyelitis in pregnancy, 47, 126

JACOBS, M. W. Retinal hemorrhages in the newborn, (Abst.), 148
The "Esplanade," or pelvic

JAYLE, F. The "Esplanade, reflex, (Abst.), 436 Johnson, W. C. A study of pneumonia

in the stillborn and newborn, 267

-AND MEYER, J. R. A study of pneumonia in the stillborn, 151
Jones, A. T. Report of two cases of

bicornate uterus with pregnancy cesarean section, 347, 390

JONES, T. E. The rôle of radium in the treatment of cancer of the cervix, 662, 711

\mathbf{K}

Hemorrhagic disease of the KAISER.

newborn, (Abst.), 147 Kellog, F. S. Further studies of recurrent toxemia of pregnancy, 197, 265

Drainage in pelvic abdominal KELLY.

surgery, (Abst.), 438 Kelly, G. F. Intracranial hemorrhage in newborn, (Abst.), 143

Kelly, H. A. Curettage without anesthesia on the (Abst.), 78, 123 office table,

KERWIN, W. Uterus septus with special reference to operative technic,

King, E. L. Ethylene-oxygen in obstetrics, 835

The conservative treatment of eclampsia, with report of cases,

KLEMPERER, P. Histopathologic changes uterine carcinoma treated with radium, 619, 711

A rare double malformation, (Abst.), 291 KRAUSS.

KROSS, I. Ovarian transplantation, 628, 715

\mathbf{L}

LACKNER, J. E., (WITH SCHOCHET, S. S.). A review of the gynecologic literature of 1924 (collective review), 727

LASH, A. F., (WITH BARRETT, C. W. AND PILOT, I.). A study of strep-tococci from chronic infections of the cervix and fallopian

tubes, 797
LAWRANCE, J. S. Concerning the technic of the classical cesarean section,

LAWRANCE, J. S. The relation of ex-traneous diseases and subse-quent organic defects to the incidence of eclampsia, 351, 409.

LAZARD, E. M. A preliminary report of the intravenous use of magnesium sulphate in puerperal eclampsia, 178

LECENE AND D'ALLAINES. The end-re-sults of partial hysterectomy, (Abst.), 441

LEVY, W. E. Interstitial pregnancy with the report of an unruptured

case, 93
Lincoln, G. C., (WITH Alton, B. H.).
The control of celampsia convulsions by intraspinal injections of magnesium sulphate, 167

LINDEMAN, H. E. Intrauterine preg-nancy following two tubal pregnancies, three successive tubal pregnancies in one patient, 115

LITZENBERG, J. C. Unruptured intersti-tial pregnancy with anatomic and histologic report of an early case, 22

Mc

McCandish, H. S. Report of 224 cases of impetigo in the newborn, 228,

McCord, J. R. A study of 300 pregnant women having a four-plus Was-

sermann, 850 McGlinn, J. A. The dangers resulting from apparently trivial gyneco-

logic procedures, 520 McKay, F. What New York is doing to reduce maternal mortality, 704, 723

MACLAIRE, S., (WITH SHARPE, W.). Intracranial hemorrhage in the newborn, 452, 548

Masson, J. C. A case of true hermaphro-dism, 81, 114

Maxwell, Alice F. Fate and function

of the ovaries after hysterecto-mies, (Abst.), 441

MAYBURY, (WITH DYKE). On the attempted production of an "as-cending" renal infection in rabbits, (Abst.), 743

MAYER. Postoperative paralytic ileus, (Abst.), 439

MEYER, J. R., (WITH JOHNSON, W. C.). A study of pneumonia in the stillborn, 151

Extragenital chorioepithelio-MILLER. mata of congenital origin, (Abst.), 590

MILLER, C. J. Some phases of dysmenor-rhea, 524, 569

MILLER, G. B. The elimination of celampsia as a complication of pregnancy, 87

MILLER, H. E. The electrocautery in the treatment of lacerations and chronic infectious diseases of the cervix, 73

R. G. A preliminary study MILLS, of postoperative catheterization, (Abst.), 740

MOEBULE, W. Papilloma of the portio,

(Abst.), 589 Mohler, R. W. Foreign proteins as adjuvants in the treatment of obstinate pelvic infections, 365, 411

MONAD. (WITH GOSSET). Indications for surgery in the treatment of uterine cancer, (Abst.), 586

MORGAN, T. R. Observations on the

Rubin test, 843, 872

MORRIS, ROBERT T. Exhibition of charts illustrating points in differential diagnosis in certain abdominal conditions, 486, 557

MOSHER, G. C. Department of maternal

welfare, 263, 269 Murphy, D. P. Endotheliomata of the uterus, (Abst.), 589

R. D. Clinical similarity be-tween eclamptic toxemia and Mussey, R. D. acute glomerulonephritis, 808

N

NEMES. Separated double uterus with hematometra, (Abst.), 290

NICHOLS. Benign decidual tumors of the uterus, (Abst.), 590

NOVAK, E. The correlation of uterine and tubal changes in tubal gestation, 398

-AND DARNER, H. L. The correlation of uterine and tubal changes in tubal gestation, 295

OPITZ, E. The results of cancer of the female genitalia after irradiation, (Abst.), 586

Osman, (WITH CAMERON AND HECTOR).

The late results of meningeal hemorrhage of the newborn, (Abst.), 146

P

PENNISI. Uretero-cystostomy for ureterovaginal fistula, (Abst.), 742

PFEIFFER, J. Metastases of carcinoma of the uterus to Bartholin's gland (Abst.), 587

PHANEUF, L. E. Prolapse of the culdesac of Douglas or posterior vaginal enterocele, 507, 560 PHOT, I., (WITH BARRETT AND LASH).

A study of streptococci from chronic infections of the cervix and fallopian tubes, 797

PIPER, E. B. Blood-stream infection treated with mercurochrome intravenously, 17, 107

PALANO. True hermaphroditism in the human being, (Abst.), 287

PORTMANN, U. V. Radiation therapy of carcinoma of the uterus, 658,

QUIGLEY, J. K. Rupture of the uterus, with a report of two cases with recovery following hysterectomy, 685, 709

RANDALL, L. M. The weight factor in

pregnancy, 529
Reder, F. The anteposed uterus, 356, 394

REVENO, W. S., AND WELZ, W. E. The hemoclastic crisis test in pregnancy, 535

RICHARDSON, E. H. Three types of ureteral pathology with unusual clinical features, 678, 721

ROBINSON. Congenital absence of vagina and uterus, (Abst.), 289

ROBINSON, A. L. A note on injuries of the female ureter, (Abst.), 744 ROSENSTEIN. Construction of a vagina

in cases of congenital defect, (Abst.), 289
Roussiel, M. Preventive hemostasis in

radical hysterectomy for cancer by ligature of the hypogastric arteries, (Abst.), 585

Malformations of the uterus, ROYSTER.

(Abst.), 290 Rucker, M. P. Contractions of a nonpregnant multiparous human

uterus, 255
The use of novocaine in obstetrics, 35, 106

SAENGER, H. The origin of intracranial hemorrhages in the newborn,

(Abst.), 144 Salvador, J. Vaginal colpohysterectomy for cervical carcinoma, (Abst.), 583

Sampson, J. A. Endometrial carcinoma of the ovary arising in endo-metrial tissue in that organ, 111

SCHEFFEY, L. C. Carcinoma of the ovary in children and young girls, 490, 561

SCHILLING, N. A case of pregnancy with hymen intact, 258

SCHMIDT. The late results of conserva-. tive and radical operations in chronic adnexal inflammations, (Abst.), 437

SCHMITT. Squamous cell carcinoma of the corpus uteri, (Abst.), 588

SCHMITZ, E. F. Malignant endothelioma of perithelioma type in

the ovary, 247 Schmitz, H. The treatment of inoperable cervical carcinomata with measured doses of x-rays and radium based on microscopic examinations, 644, 711

SCHOCHET, S. S., AND LACKNER, J. E. A review of the gynecologic literature of 1924, (collective review), 727

SCHOENHOLZ. Congenital tubal anomalies (Abst.), 290

SCHUMACHER. Iodizing the skin in laparotomy, (Abst.), 435 rz, L. S. Torsion of ovarian

SCHWARTZ, L. S. carcinomata, 375

SCHWARZ. The therapy of pyelitis,

(Abst.), 743 SEELIGMANN, G. Two years' experience with the combination treatment of surgery, radium rays in cases of carcinoma uteri, 66

SHARPE, W. Intracranial hemorrhage in

the newborn, (Abst.), 145
-AND MACLAIRE, S. Intracranial hemorrhage in the newborn, 452, 548

SHAW, W. F. Carcinoma of the female urethra with notes of two cases treated with radium, (Abst.),

SIEGMUND, H. Birth injuries to the brain and their consequent re-

sults, (Abst.), 143 Skeel, A. J. Recent advances in our knowledge of obstetrics and their bearing on obstetrics as a specialty, 239, 263

s. Primary chorioepithelioma of the fallopian tube, (Abst.), SOLOMONS.

SOUTHAM, A. H. A comparative study of abdominal incisions, (Abst.), Speidel, E. The conservative treatment

of eclampsia, 320, 386

STANDER, H. J. Treatment of eclampsia

by the Stroganoff method, 327 A. Gangrene of the extremities STEIN, A. following gynecologic operations and the puerperium—with remarks on embolectomy, 595, 713

Etiology of congenital torticollis, (Abst.), 148

STEVENS. Urology in women, (Abst.),

Т

THALHIMER, W. Insulin and glucose treatment of excessive vomiting of pregnancy, 673, 716

THOMS, H. A newly modified method of determining the area of the pelvic inlet by x-ray pelvimetry, 667, 715

667, 715
TILLES, R. S. Semicircular mattress sutures of the vagina, 823

V

VAN BLARCOM, C. C. Provisions for maternity care in the United States, 697, 723

VAN DUYNE, S. E. Some observations on dysmenorrhea at Goucher College, 234

VEIT. A contribution to the statistics of vulvar sarcoma, (Abst.), 590

VILLETTE. Congenital absence of the vagina and formation of a vagina by intestinal transplantation, (Abst.), 288

Vogt. Urotropin intravenously for inability to urinate following operation or delivery, (Abst.), 740

W

Walz, W. Etiology of congenital skin defects of the scalp, (Abst.), 150

WATERS, E. G., (WITH COSGROVE, S. A.). Eclampsia in a patient with a duplex uterus and a single kidney, 360 WATKINS, THOMAS J. Obituary, 593

WELZ, W. E., (WITH REVENO, W. S.).

The hemoclastic crisis test in pregnancy, 535

West, J. N. Ovarian pregnancy and gall stones. Movable right kidney and cysticercus cyst of the liver, 396

Wharton, Lawrence R. Congenital absence of the uterus and associated developmental defects, (Abst.), 290

WHITE, C. Instruments left in the peritoneal cavity, (Abst.), 440

WILLIAMS, P. F. Abdominal pregnancy, specimen, 870

Wilson, K. M. A morphologic study of some phases in the development of the sex glands of the domestic pig, 110

—. Comparison of the results obtained after radical and conservative treatment of eclampsia in the obstetrical department of the Johns Hopkins Hospital, 189

WOLFE, S. A. Report of a case of cyliosoma, a rare fetal monster, 540

WUSTHOFF, H. The early diagnosis of congenital heart disease, (Abst.), 291

Y

Young. Urinary incontinence in the female, (Abst.), 741

SUBJECT INDEX

A

Abdominal pregnancy, specimen of, Williams, P. F., 870

Adenoma formation in abdominal scars, Dietrich, A., (Abst.), 438

Adnexal inflammations, chronic, late results of conservative and radical operations in, Schmidt, (Abst.), 437

American Association of Obstetricians, Gynecologists and Abdominal Surgeons, Transactions of, Thirty-seventh annual meeting, 263, 386, 548, 709, 867

Gynecological Society, Transactions of, Forty-ninth annual meeting, 106

Analgesia in obstetrics, modified rectal, Gwathmey, J. T., 401

Anesthesia, spinal, Graffagnino, P., 567 Antenatal, intranatal and neonatal death, Ballantyne, J. W., (Abst.), 146

Appendicitis, chronic, and pyosalpinx complicated by vesical calculus, Conaway, W. P., 396

in children, with report of cases, Brown, G. Van Amber, 463, 549

Asphyxia neonatorum, a method for the aspiration of mucus in, Bunim, L. A., 101

Atresia of the cervix, case of, Feiner, D., 544

B

Birth injuries, intracranial, Cameron, (Abst.), 141

of the child, the prevention of, Ehrenfest, H., (Abst.), 149

to the brain and their consequent results, Siegmund, H., (Abst.), 143

Bladder, management of the female, after operation and during pregnancy, Curtis, A. H., (Abst.), 740

Blood transfusion, hyperemesis gravidarum treated with, Bissell, Dougal, 118

Brachial paralysis, obstetric, Boorstein, (Abst.), 149

Brain, birth injuries to the, and their consequent results, Siegmund, H., (Abst.), 143

C

Calculus, vesical, chronic appendicitis and pyosalpinx, complicated by, Conaway, W. P., 396

Cancer of the cervix, the early diagnosis of, Forsdike, S., (Abst.), 589

the rôle of radium in the treatment of, Jones, T. E., 662, 711

of the female genitalia after irradiation, the results of, Opitz, E., (Abst.), 586

of the uterus, combined radium therapy and operation in the treatment of, Dannreuther, W. T., 608, 710

preventive hemostasis in radical hysterectomy for, by ligature of the hypogastric arteries, Roussiel, M., (Abst.), 585

suggested biophysical interpretation of, Crile, Geo. W., 642, 711

uterine, indications for surgery in the treatment of, Gosset and Monad, (Abst.), 586

Carcinoma, abdominal and vaginal operation for, Halban, (Abst.),

cervical, vaginal colpohysterectomy for, Salvador, J., (Abst.), 583

of the female urethra with notes of two cases treated with radium, Shaw, W. F., (Abst.), 588

of the ovary, endometrial, arising in endometrial tissue in that organ, Sampson, J. A., 111

of the uterus and ovaries, the simultaneous occurrence of, Burckhard, (Abst.), 587

to Bartholin's gland, metastases of, Pfeiffer, J., (Abst.), 587

radiation therapy of, Portmann, U. V., 658, 711

squamous cell, of the corpus uteri, Schmitt, (Abst.), 588

uterine, treated with radium, histopathologic changes in, Klemperer, P., 619, 711

uteri, two years' experience with the combination treatment of surgery and radium rays in cases of, Seeligmann, G., 66

uterine, the early diagnosis of Gerich, O., (Abst.), 588 Carcinomata, cervical, treatment of inoperable, with measured doses of x-rays and radium based on microscopic examinations, Schmitz, H., 644, 711 ovarian, torsion of, Schwartz, L. S.,

Care of mouth before operation, importance of, Coe, H. C., 266

Catheterization, a preliminary study of postoperative, Mills, R. G. (Abst.), 740

Cervix, cancer of the, the early diagnosis of, Forsdike, S., (Abst.),

> the rôle of radium in the treatment of, Jones, T. E., 662, 711

ease of atresia of the, Feiner, D., 544 electrocautery in the treatment of lacerations and chronic infectious diseases of the, Miller, H. E., 73

observations on trauma to the undilated, but dilatable, Harper, P. Т., 103

report of case of a large mucocele of the, following a supravaginal hysterectomy fourteen years previously, Cleland, F. A., 349, 395

uteri, the amputation of the, Hartmann, H., (Abst.), 437

uterine, preliminary vaginal amputation of the, in total abdominal hysterectomy, Duroux, (Abst.), 437

Cesarean section, concerning the technic of the classical, Lawrance, J. A., 830

in bicornate uterus, report of two cases of, with pregnancy, Jones, A. T., 347, 390

Chorioepithelioma, primary, of the fallopian tubes, Solomons, (Abst.), 591

Chorioepitheliomata, extragenital, of congenital origin, Miller, (Abst.), 590

Collective Reviews:

A review of the gynecological litera-ture of 1924, Schochet, S. S., and Lackner, J. E., 727

Massive excision of subcutaneous ab-dominal fat, Heineck, A. P.,

New books, Frank, R. T., 130, 876 The obstetrical literature of 1924,

Greenhill, J. P., 417, 575 Corpus uteri, squamous cell carcinoma of the, Schmitt, (Abst.), 588

Curettage without anesthesia on the office table, Kelly, H. A., 78, 123 Cyliosoma, a rare fetal monster, report of a case of, Wolfe, S. A., 540

Cysticercus cyst of the liver, case report, West, J. N., 396 Cystoradioscopy, Blum, Eisler and

Hryntschak, (Abst.), 739

Decidual tumors, benign, of the uterus,

Nichols, (Abst.), 590 Diagnosis, differential, in certain abdominal conditions, exhibition of charts illustrating points in, Morris, R. T., 486, 557

Diseases of the urinary tract, (Abst.),

Diurnal incontinence in women, Bonney, (Abst.), 741

Drainage in pelvic abdominal surgery, Kelly, (Abst.), 438

Dysmenorrhea, relation of, to inter-stitial thyrotoxicosis, Hertzler, A. E., 783

some observations on, at Goucher College, Van Duyne, S. E., 234 some phases of, Miller, C. J., 524, 569

Dystocia, the short umbilical cord as a factor in, Adams, T. W., 690

E

Eclampsia, conservative treatment of, King, E. L., 412 Speidel, E., 320, 386

with report of cases, King, E. L., 338 convulsions, the control of, by intraspinal injections of magnesium

sulphate, Alton, B. H., and Lin-coln, G. C., 167 elimination of, as a complication of

pregnancy, Miller, G. B., 87 in a patient with a duplex uterus and a single kidney, Cosgrove, S. A., and Waters, E. G., 360

in the obstetrical department of the Johns Hopkins Hospital, Comparison of the results obtained after radical and conservative treatment of, Wilson, K. M.,

puerperal, magnesium sulphate in, a preliminary report of the intravenous use of, Lazard, E. M., 178

relation of extraneous disease and subsequent organic defects to the incidence of, Lawrance, J. 8., 351, 409

treatment of, by the Stroganoff method, Stander, H. J., 327

Embolectomy, in puerperal gangrene, Stein, A., 595, 713 Emmet-Baldwin operation for procid-

entia, Gibson, G., 637, 720

Endothelioma, malignant, of perithe-lioma type, in the ovary, 247

Enterocele, posterior vaginal, prolapse of the culdesac of Douglas or, Phaneuf, L. E., 507, 560

Ethylene-oxygen in obstetrics, King, E. L., 835

Fallopian tube, primary, chorioepithelioma of the, Solomons, (Abst.),

Fat, abdominal, massive excision of subcutaneous, Heineck, A. P., (collective review), 277

Fertility and sterility, animal studies of, bearing on human problems, Dickinson, R. L., 715

Fetal death, injury to spinal cord in breech extraction as an important cause of and of paraplegia in childhood, Crothers, (Abst.), 148

monstrosity, x-ray in the prenatal diagnosis of, Anderson, E. B.,

Fetus, cranial stress in the, during labor and on the effects of excessive stress on the intracranial contents, Holland, (Abst.), 140

Fibroids, uterine, the operative risk in surgical treatment of, (Abst.), 440

Fistula, uretero-vaginal, uretero-cystostomy for, Pennisi, (Abst.),

Forceps, a new axis traction handle for solid blade, Bill, A. H., 606,

Gangrene of the extremities following gynecologic operations and the puerperium, with remarks on embolectomy, Stein, A., 595, 713

Gastroenterostomy, the field of partial, in the treatment of ulceration of the stomach and duodenum,

Babcock, W. W., 473, 555 Gestation, tubal, the correlation of uterine and tubal changes in, Novak, E., 398

the correlation of uterine and tubal changes in, Novak, E., and Darner, H. L., 295

Glomerulonephritis, a c u t e, clinical similarity between eclamptic toxemia and, Mussey, R. D.,

Gynecologic literature of 1924, a review of the, Schochet, S. S., and Lackner, J. E., (collective review), 727

operations, (Absts.), 434

in relation to the life assurance, Giles, (Abst.), 439

Gynecologic-Cont'd

procedures, dangers resulting from apparently trivial, McGlinn, J. A., 520

H

Heart disease, congenital, the early diagnosis of, Wüsthoff, H., (Abst.), 291

Hematometra, separated double uterus with, Nemes, (Abst.), 290

Hemorrhages of the newborn, blood transfusion by the citrate method in, Falls, F. H., (Abst.),

retinal, in the newborn, 148

Hemorrhagic disease of the newborn, Kaiser, (Abst.), 147

Hermaphrodism, a case of true, Masson, J. C., 81, 114 true, in the human being, Polano,

(Abst.), 287 Hydatid mole, proliferative processes in the center of, Hinselmann,

(Abst.), 590 Hydatidiform mole, a case of, in a woman just before the meno-pause, Frey, E., (Abst.), 590

Hyperemesis gravidarum treated with

blood transfusion, Bissell, Dougal, 118

Hysterectomy, partial, the end-results of, Lecene and D'Allaines, of, Lecene (Abst.), 441

total abdominal, with direct peritoneal drainage, Dartigues, M., (Abst.), 438

Ileus, postoperative paralytic, Mayer, (Abst.), 439

Impetigo in the newborn, report of 224 cases of, McCandish, H. S., 228, 266

Incision, abdominal, in pelvic surgery, Fothergill, W. E., (Abst.), 434

Incisions, abdominal, a comparative study of, Southam, A. H.,

(Abst.), 434 Infection of the cervix uteri and fallopian tubes, a study of streptococci from chronic, Barrett, Lash and Pilot, 797

Infections, chronic, in pregnancy, Fow-

ler, W. A., 837
Injury of the spinal cord in breech extractions as an important cause of fetal death and of paraplegia in childhood, Crothers, (Abst.), 148

Insulin and glucose treatment of excessive vomiting of pregnancy, Thalhimer, W., 673, 716 Institutional antepartum methods applied to private practice, Harrar, J. A., 243, 264

Instruments left in the peritoneal eavity, White, C., (Abst.), 440 Intracranial birth injuries, Cameron,

(Abst.), 141

hemorrhage in the newborn, Ballance and Ballance, (Abst.), 142 in the newborn, Kelly, G. F.,

(Abst.), 143

in the newborn, Sharpe, (Abst.), 145

in the newborn, Shape, W., and Maclaire, S., 452, 548

in the newborn, the causation of, Ehrenfest, H., (Abst.), 142

hemorrhages, the origin of, in the newborn, Saenger, H., (Abst.), 144

traumata in the newborn, Capon, (Abst.), 141

Intranatal death, Holland, E., (Abst.), 147

K

Kidneys, polycystic, congenital, Davis, J. E., 758 Kielland forceps, Averett, L., 410

L

Lactation, the influence of diet on, Adair, F. L., 1

Laparotomy, iodizing the skin in Schumacher, (Abst.), 435

Leucemia, myeloid, in pregnancy, two cases of, treated with topical applications of radium, Bower, J. O., and Clark, J. H., 207, 562

Liver, eysticercus cyst of the, case report, West, J. N., 396

M

Magnesium sulphate, intraspinal injections of, in eclampsia, Alton, B. H., and Lincoln, G. C., 167

in puerperal eclampsia, a preliminary report of the intravenous use of, Lazard, E. M., 178

Malformation, a rare double, Krauss, (Abst.), 291

Malformations, congenital, (Absts.),

Maternal mortality, the responsibility of the medical profession in further reducing, Flint, A., 724, 864

what New York State is doing to reduce, McKay, F., 704, 723 Maternal-Cont'd

welfare, report of the committee on, Mosher, G. C., 263

the Joint Committee on, its organization and purposes, Adair, F. L., 571

Maternity care, provisions for, in the United States, Van Blarcom, C. C., 697, 723

Meningeal hemorrhage of the newborn, the late results of, Cameron, Hector and Osman, (Abst.), 146

Mercurochrome, blood-stream infection treated with, intravenously, Piper, E. B., 17, 107

Mortality, maternal, responsibility of the medical profession in further reducing, Flint, Austin, 864

N

Neonatal death, Browne, F. J., (Abst.), 147

Neoplasms, malignant, (Abst.), 583 Newborn, hemorrhages of the, Cruickshank, (Abst.), 145

shank, (Abst.), 145 blood transfusion by the citrate method in, Falls, F. H., (Abst.), 148

hemorrhagic disease of the, Kaiser, (Abst.), 147

intracranial hemorrhage in the, Ballance and Ballance, (Abst.), 142

Kelly, G. F., (Abst.), 143 Sharpe, (Abst.), 145

Sharpe, W., and Maclaire, S., 452, 548

the causation of, Ehrenfest, H., (Abst.), 142

the origin of, Saenger, H., (Abst.), 144 traumata in the, Capon, (Abst.),

meningeal hemorrhage of the, lateresults of, Cameron, Hector and Osman, (Abst.), 146

and Osman, (Abst.), 146 pneumonia in the stillborn and, a study of, Johnson, W. C., 267

retinal hemorrhages in the, Jacobs, M. W., (Abst.), 148

M. W., (Abst.), 148
report of 224 cases of impetigo in
the, McCandish, H. S., 228, 266
New Orleans Gynecological and Ob-

New Orleans Gynecological and Obstetrical Society, transactions of, 412, 566

New York Academy of Medicine, Section of Obstetrics and Gynecology, transactions of, 723

ology, transactions of, 723 New York Obstetrical Society, transactions of, 115, 266, 396, 715 Novocaine in obstetrics, the use of,

Rucker, M. P., 35, 106

Obituary-Thomas J. Watkins, 593 Obstetrical literature of 1924, Greenhill, J. P., (collective review),

417

Society of Philadelphia, transactions of, 123, 409, 561, 721, 870

Obstetrics, ethylene-oxygen in, King, E. L., 835

modified rectal analgesia in, Gwathmey, J. T., 401

recent advances in our knowledge of, and their bearing on obstetries as a specialty, Skeel, A. J., 239, 263

Occipito-posterior positions, the modified Scanzoni maneuver in the treatment of vertex, Bill, A. H., 342, 392

Ovarian carcinomata, torsion of,

Schwartz, L. S., 375 eysts, torsion of the pedicle of, Helvestine, F., Jr., 259 transplantation, Kross, I., 628, 715

Ovaries after hysterectomies, fate and function of the, Maxwell, Alice

F., (Abst.), 441 malignant endothelioma Ovary, of the, perithelioma type Schmitz, E. F., 247

pseudocartilaginous cyst of the, Darnall, W. E., 683, 710

sarcoma of the, in children and young girls, Scheffey, L. C., 490, 561

Papilloma of the portio, Moebule, W., (Abst.), 589

Paraplegia in childhood, injury to the spinal cord in breech extractions as an important cause of fetal death and of, Crothers,

Pelvic abdominal surgery, drainage in,

Kelly, (Abst.), 438 infections, foreign proteins as adjuvants in the treatment of obstinate, Mohler, R. W., 365, 411

peritonization, use of the sigmoid flexure and cecum in, Culbert-

son, (Abst.), 436
Pelvimetry, a newly modified method
of determining the area of the pelvic inlet by x-ray, Thoms, Н., 667, 715

Peristalsis, postoperative, the prophylactic pouring of ether into the abdominal eavity during laparotomies to induce, Frankenstein, K., (Abst.), 438

Peritonitis, postoperative, relation of, to periodic epidemics of infection. Huggirs, R. R., 819, 868 Peritonization in the female pelvis, the technic of, Beuttner, (Abst.),

Pneumonia in the stillborn and newborn, a study of, Johnson, W. C., 267

Pregnancy, abdominal, Bullard, E. A., 120

case of, with hymen intact, Schilling, N., 258

chronic infections in, Fowler, W. A., 837

excessive vomiting, treatment by insulin and glucose, Thalhimer, W., 673, 716

hemoclastic crisis test in, Reveno, W. S., and Welz, W. E., 535

interstitial, with the report of an unruptured case, Levy, W. E., 93 intrauterine, following two tubal pregnancies, Lindeman, H. E.,

115

myeloid leucemia complicated by pregnancy, treated with topical applications of radium, Bower, J. O., and Clark, J. H., 562

ovarian, and gall stones. Movable right kidney and cysticercus cyst of the liver, West, J. N.,

two cases of myeloid leucemia complicated with, treated with topical applications of radium, Bower, J. O., and Clark, J. H., 207

unruptured interstitial, with anatomic and histologic report of an early case, Litzenberg, J. C.,

weight factor in, Randall, L. M., 529 weight during, Hannah, C. R., 854

Procidentia, Emmet-Baldwin operation for, Gibson, G., 637, 723

end-results with the Emmet-Baldwin operation for, Gibson, G., 637, 720

Proteins, foreign, as adjuvants in the treatment of obstinate pelvic infections, Mohler, R. W., 365,

Puerperal gangrene, embolectomy in, Stein, A., 595, 713
Pyelitis, an analytical study of fifty

cases of, Baker, (Abst.), 743 therapy of, Schwarz, (Abst.), 743

Radium in gynecology, contraindications to the use of, Graves, W. P., 445, 562

the rôle of, in cancer of the cervix, Jones, J. E., 662, 711 Reflex, the "Esplanade" or pelvic,

Jayle, F., (Abst.), 436

Renal infection in rabbits, on the attempted production of an "ascending," Dyke and Maybury, (Abst.), 743

Retention of urine due to haematocolpos and haematometra in a child, Haworth, J. K., (Abst.), 741

Rubin test, new uterine cannula for use in the, Gladstone, E., 695 observation on the, Morgan, R. T., 843, 872

Sarcoma, vulvar, a contribution to the statistics of, Veit, (Abst.), 590 Sealp, congenital defects of the, Heid-

ler, H., (Abst.), 150 etiology of congenital skin defects of the, Walz, W., (Abst.), 150

Selected abstracts: Birth injuries of the newborn, 140 Congenital malformations, 287 Gynecologic operations, 434

Malignant neoplasms, 583 Sex glands of the domestic pig, a morphological study of some phases in the development of the, Wilson, K. M., 110

Spasmodic cervical contraction and injury to the child's head dur-ing labor, (Abst.), Füth, 150 Spinal anesthesia, Graffagnino, P., 567

Sphineter tightening, suprapubic, Furniss, H. D., 503, 560

Spontaneous closure of large vesicouterine fistula, Brodhead, G. L., (Abst.), 743

and, a study of, Johnson, W. Stillborn, pneumonia in the newborn

a study of, in the, Johnson, W. C., and Meyer, J. R., 151 Sturmdorf operation, indications and end-results, Coventry, W. A.,

Surgery, pelvic, a lecture to graduates on three years of, Fothergill, W. E., (Abst.), 436

Syphilis, the detection of, in prenatal clinics, Belding, D. L., 203

Tabes dorsalis complicating pregnancy, report of a case of, Hamblen, R. N., 102

Thyrotoxicosis, relation of dysmenorrhea to interstitial, Hertzler, A. E.,

Torticollis, etiology of congenital, Stern, A., (Abst.), 148

Toxemia, acute, clinical similarity between eclamptic and acute glomerulonephritis, Mussey, R. D., 808

Toxemia-Cont'd

pregnancy, further studies of recurrent, Kellogg, F. S., 197 of

Toxemias of pregnancy, further studies of recurrent, Kellogg, F. S., 265 Transfusion, for hyperemesis gravi-darum, treated with blood

transfusion, Bissell, D., 118 gestation, the correlation of Tubal uterine and tubal changes in, Novak, E., 398

the correlation of uterine and tubal changes in, Novak, E., and Darner, H. L., 295

Tuberculous salpingitis, bladder fistula as a result of, Gayet, (Abst.),

Ulceration of the stomach and duodenum, the field of partial, in the treatment of, Babcock, W.

W., 473, 555 Umbilical cord, the short, as a factor in dystocia, Adams, T. W., 690 Ureter, a note on injuries of the female,

Robinson, A. L., (Abst.), 744 suture of the, Gouverneur, (Abst.), 744

Ureteral pathology, three types of, with unusual clinical features, Richardson, E. H., 678, 721

stricture and pyelitis, an analytical study of fifty cases of, Baker, (Abst.), 743

in obstetrics; with special reference to multiple abortions (renal) and to pyclitis in pregnancy, Hunner, G. L., 47, 126 Urinary incontinence in the female,

Young, (Abst.), 741

tract, diseases of the, (selected abstracts), 739

Urology in women, Stevens, (Abst.), 739

Urotropin intravenously for inability to urinate following operation or delivery, Vogt, (Abst.), 740

Uterine cancer, indications for surgery in the treatment of, Gosset an l Monad, (Abst.), 586

carcinoma, early diagnosis of, Gerich,

O., (Abst.), 588 treated with radium, histopatho-logic changes in, Klemperer, P., 619, 711

fibroids, the operative risk surgical treatment of, (Abst.), 440

tumors, the coincidence and interference of, Frankl, O., 745, 867

Uterus and ovaries, carcinoma of the, the simultaneous occurrence of, Burckhard, (Abst.), 587 anteposed, Reder, F., 356, 394

Uterus-Cont'd

decidual tumors Nichols, (Abst.), 590

bicornate, report of two cases of, with pregnancy, cesarean section, Jones, A. T., 347, 390

cancer of the, combined radium and operation in the treatment of, Dannreuther, W. T., 608, 710

Carcinoma of the, metastases of, to Bartholin's gland, Pfeiffer, J., (Abst.), 587

radiation therapy of, Portmann, U. V., 658, 711

congenital absence of the, and associated developmental defects, Wharton, L. R., (Abst.), 290

contractions of a nonpregnant multiparous human, Rucker, M. P., 255

decidual benign tumors of the, Nichols, (Abst.), 590

endotheliomata of the, Murphy, D. P., (Abst.), 589

Royster, malformations of the. (Abst.), 290

rupture of the, including the report of two cases with recovery folfollowing hysterectomy, Quigley, J. K., 709

with a report of two cases with recovery following hysterectomy, Quigley, J. K., 685, 709 separated double, with hematometra, Menes, (Abst.), 290

Uterus-Cont'd

septus with special reference to operative technic, Kerwin, W.,

Vagina and uterus, congenital absence

of, Robinson, (Abst.), 289 congenital absence of the, and formation of a vagina by intestinal transplantation, Villette, transplantation, (Abst.), 288

four cases of, Hortolomei, (Abst.), 288

construction of the, from intestine in complete absence of, Hörmann, (Abst.), 288

in cases of congenital defect, Rosen-

stein, (Abst.), 289 semicircular mattress suture of the, immediately following labor, Tilles, R. S., 823

Vaginal colpohysterectomy for cervical earcinoma, Salvador, J., (Abst.), 583 postoperative bleeding, severe, Dicks,

J. F., 566

Wassermann, study of 300 negro women having a four-plus, 850

test, the detection of syphilis in prenatal clinics. Belding, D. L., 203

Weight during pregnancy, Hannah, C. R., 854